

=> IFW: Scan as Doc Code: SRNT <=  
Doc Date:

## **TC 3700 Inventor Search Program**

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

---

**Serial Number:**


**10/540,987**

**1.) See attached printout of inventors listed in  
PALM**

**2.) See attached EAST Inventor Search  
Printout shows Inventor search terms**

Day : Tuesday  
Date: 8/29/2006

Time: 15:25:00



## Inventor Information for 10/540987

Inventor Name	City	State/Country
SATAKE, HIDETOSHI	ISHIOKA-SHI	JAPAN
TSUKUI, HIROSHI	ABIKO-SHI	JAPAN
ICHIMURA, KAZUHIRO	NIIHARI-GUN	JAPAN
ONOUE, HIROSHI	INASHIKI-GUN	JAPAN

[Appln Info](#) [Contents](#) [Petition Info](#) [Atty/Agent Info](#) [Continuity/Reexam](#) [Foreign](#)

Search Another: Application#   or Patent#    
PCT /  /   or PG PUBS #    
Attorney Docket #    
Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | Home page

1	US 7082756 B2	20060801	Device for detecting failure of hydraulic motor, and hydraulic vehicle	60/403	60/406; 60/455	Ichimura; Kazuhiro et al.
1	US 6941688 B2	20050913	Hydraulically powered vehicle, and engine rotational speed control method for hydraulically powered vehicle	37/348	172/3; 180/306; 60/490	Ichimura; Kazuhiro et al.
1	US 6912803 B2	20050705	Failure detection device for hydraulic motor and hydraulic drive vehicle	37/348	60/420	Ichimura; Kazuhiro
1	US 6820877 B1	20041123	Wheeled type working vehicle	280/6.157	180/89.13; 280/124.159; 280/124.161	Ichimura; Kazuhiro et al.
1	US 5638677 A	19970617	Control device for hydraulically propelled work vehicle	60/431	60/434; 60/445; 60/452	Hosono; Junichi et al.
1	US 5307631 A	19940503	Hydraulic control apparatus for hydraulic construction machine	60/452	91/459; 91/517	Tatsumi; Akira et al.
1	US 5277269 A	19940111	Engine revolution speed control device for a hydraulically driven vehicle	180/306	60/388; 60/391	Ichimura; Kazuhiro et al.